

L Number	Hits	Search Text	DB	Time stamp
-	409	(345/211).CCLS.	USPAT; US-PGPUB	2003/06/28 15:16
-	167	((("345/211").CCLS.) and diode	USPAT; US-PGPUB	2002/01/10 08:46
-	162	((("345/211").CCLS.) and diode	USPAT	2002/01/10 08:46
-	1	("4923285").PN.	USPAT; US-PGPUB	2002/01/10 12:56
-	409	(345/211).CCLS.	USPAT; US-PGPUB	2002/01/10 12:57
-	167	((("345/211").CCLS.) and diode	USPAT; US-PGPUB	2002/01/10 13:00
-	0	((("345/211").CCLS.) and row adj scan adj driver	USPAT; US-PGPUB	2002/01/10 13:01
-	2	row adj scan adj driver	USPAT; US-PGPUB	2002/01/10 13:02
-	328	scan adj driver	USPAT; US-PGPUB	2002/01/17 08:01
-	10	((("345/211").CCLS.) and (scan adj driver)	USPAT; US-PGPUB	2002/01/10 13:09
-	85	(scan adj driver) and diode	USPAT; US-PGPUB	2002/01/10 13:10
-	5613	plurality adj2 diode	USPAT; US-PGPUB	2002/01/14 14:55
-	2	(scan adj driver) and (plurality adj2 diode)	USPAT; US-PGPUB	2002/01/10 13:12
-	445	diode adj group	USPAT; US-PGPUB	2002/01/14 14:40
-	1	(scan adj driver) and (diode adj group)	USPAT; US-PGPUB	2002/01/10 13:13
-	1354	(345/208-213).CCLS.	USPAT; US-PGPUB	2002/01/11 08:25
-	30	scan adj driver and ((("345/208-213").CCLS.)	USPAT; US-PGPUB	2002/01/14 10:12
-	1731	(345/94-100).CCLS.	USPAT; US-PGPUB	2002/01/11 13:34
-	58	scan adj driver and ((("345/94-100").CCLS.)	USPAT; US-PGPUB	2002/01/14 09:55
-	20483	display with driver	USPAT; US-PGPUB	2002/01/14 10:08
-	29635	diode with ground	USPAT; US-PGPUB	2002/01/14 10:08
-	57	(display with driver) same (diode with ground)	USPAT; US-PGPUB	2002/01/14 14:28
-	7016	display with driver	EPO; JPO	2002/01/14 10:08
-	2587	diode with ground	EPO; JPO	2002/01/14 10:08
-	4	(display with driver) same (diode with ground)	EPO; JPO	2002/01/14 10:09
-	95	row adj driver and ((("345/208-213").CCLS.)	USPAT; US-PGPUB	2002/01/14 10:13
-	4	(display with driver) same (diode with ground)	EPO; JPO	2002/01/14 14:31
-	855	liquid adj crystal same diode	EPO; JPO	2002/01/14 14:32
-	446	liquid adj crystal adj display same diode	EPO; JPO	2002/01/14 14:32
-	459	liquid adj crystal adj display same transistor with diode	USPAT; US-PGPUB; EPO; JPO	2002/01/14 14:34
-	1	liquid adj crystal adj display same transistor with diode	USPAT; US-PGPUB; EPO; JPO	2002/01/14 14:35
-	459	liquid adj crystal adj display same transistor with diode	USPAT; US-PGPUB; EPO; JPO	2002/01/14 14:37
-	127	liquid adj crystal adj display same transistor with diode and driver	USPAT; US-PGPUB; EPO; JPO	2002/09/24 14:23

-	8	diode adj group and transmittance	USPAT;	2002/01/14 14:45
-	23365	transmittance	US-PGPUB USPAT;	2002/01/14 14:45
-	21	scan adj driver and transmittance	US-PGPUB USPAT;	2002/01/14 14:47
-	5678	(plurality or multiplicity) adj2 diode	US-PGPUB USPAT;	2002/01/14 14:59
-	64	transmittance and ((plurality or multiplicity) adj2 diode)	US-PGPUB USPAT;	2002/01/14 14:59
-	3565	(plurality or multiplicity) adj diode	US-PGPUB USPAT;	2002/01/14 15:06
-	24	transmittance and ((plurality or multiplicity) adj diode)	US-PGPUB USPAT;	2002/01/14 15:06
-	0	transmittance and ((plurality or multiplicity) adj diode)	EPO; JPO	2002/01/14 15:06
-	154	((plurality or multiplicity) adj diode) same temperature	USPAT;	2002/01/15 09:51
-	25	((plurality or multiplicity) adj diode) same temperature and display	US-PGPUB USPAT;	2002/01/15 09:28
-	154	((plurality or multiplicity) adj diode) same temperature	US-PGPUB USPAT;	2002/01/15 11:48
-	154	((plurality or multiplicity) adj diode) same temperature	US-PGPUB USPAT;	2002/01/15 11:49
-	1	"07202129"	JPO	2002/01/15 14:36
-	2	"07202129"	JPO;	2002/01/15 14:35
-	1	US-5500547-A.DID.	DERWENT DERWENT	2002/01/15 14:35
-	947	scan adj drive\$	USPAT;	2002/01/18 15:56
-	5869	data adj drive\$	US-PGPUB USPAT;	2002/01/17 08:03
-	111	(scan adj drive\$) same (data adj drive\$)	US-PGPUB USPAT;	2002/01/17 13:45
-	37	(scan adj drive\$) same (data adj drive\$)	US-PGPUB EPO; JPO	2002/01/17 13:45
-	2	scan adj drive\$ same zener	USPAT;	2002/01/17 15:06
-	0	scan adj drive\$ same zener	US-PGPUB EPO; JPO;	2002/01/17 15:08
-	6	liquid adj crystal adj display	IBM_TDB EPO; JPO;	2002/01/17 15:11
-	101783	liquid adj crystal adj display	IBM_TDB USPAT;	2002/01/17 15:12
-	297722	driver\$	US-PGPUB; EPO; JPO; IBM_TDB USPAT;	2002/01/17 15:13
-	6219	(liquid adj crystal adj display) same driver\$	US-PGPUB; EPO; JPO; IBM_TDB USPAT;	2002/01/17 15:14
-	4336	(liquid adj crystal adj display) with driver\$	US-PGPUB; EPO; JPO; IBM_TDB USPAT;	2002/01/17 15:15
-	1140	scan adj drive\$	US-PGPUB; EPO; JPO; IBM_TDB USPAT;	2002/01/18 15:48
-	472	driver\$ same (scan adj drive\$)	US-PGPUB; EPO; JPO; IBM_TDB USPAT;	2002/01/17 15:17

-	445	driver\$ with (scan adj drive\$)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/01/17 15:17
-	404	driver\$ with (scan adj drive\$)	USPAT; EPO; JPO; IBM_TDB	2002/01/17 15:19
-	61	(liquid adj crystal adj display) with (scan adj drive\$)	USPAT; EPO; JPO; IBM_TDB	2002/01/17 15:19
-	1	("6121943").PN.	USPAT; US-PGPUB	2002/01/18 15:14
-	2	6121943.URPN.	USPAT; EPO; JPO; IBM_TDB	2002/01/18 15:14
-	20	("4338598" "4443741" "4485379" "4797667" "4864182" "4866348" "4888523" "4999618" "5463283" "5629716" "5847516").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/18 15:20
-	1	scan adj drive\$ adj power adj circuit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/01/18 15:52
-	0	data adj drive\$ adj power adj circuit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/01/18 15:54
-	22258	power adj supply adj circuit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/01/18 15:58
-	25	power adj supply adj circuit and scan adj drive\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/01/18 15:59
-	2	("3956661").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/24 10:58
-	1	("6121943").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/24 10:58
-	1	("5473289").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/24 10:59
-	2	("4198581").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/24 10:59
-	2	("4622635").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/24 10:59
-	2	("4677850").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/24 11:00
-	2	("5419199").PN.	USPAT; EPO; JPO; IBM_TDB	2002/01/24 11:00
-	1	("6236394").PN.	USPAT; EPO; JPO; IBM_TDB	2002/02/14 14:19
-	1	("5663743").PN.	USPAT; US-PGPUB	2003/06/28 15:29
-	1	("6236394").PN.	USPAT; US-PGPUB	2002/02/14 15:45
-	1	("5745092").PN.	USPAT; US-PGPUB	2002/02/14 15:45

-	1	("4570115").PN.	USPAT;	2002/02/14 15:46
-	1	("4297697").PN.	US-PGPUB USPAT;	2002/02/14 15:46
-	146	liquid adj crystal adj display same transistor with diode and driver	US-PGPUB USPAT;	2002/09/24 14:24
-	111673	(liquid adj crystal adj display) or (LDC adj (panel or display))	EPO; JPO USPAT;	2002/09/25 10:15
-	4656	((liquid adj crystal adj display) or (LDC adj (panel or display))) near3 (drive or driver)	US-PGPUB; EPO; JPO USPAT;	2002/09/24 14:49
-	21	((((liquid adj crystal adj display) or (LDC adj (panel or display)))) near3 (drive or driver)) same (transistor with capacitor)	US-PGPUB; EPO; JPO USPAT;	2002/09/24 14:38
-	1842	(transistor with (capacitor adj2 ground))	IBM_TDB USPAT;	2002/09/24 14:49
-	7	((((liquid adj crystal adj display) or (LDC adj (panel or display)))) near3 (drive or driver)) and ((transistor with (capacitor adj2 ground)))	US-PGPUB; EPO; JPO; IBM_TDB USPAT;	2002/09/24 14:44
-	23	(liquid adj crystal adj display) or (LDC adj (panel or display))	USOCR	2002/09/24 14:48
-	0	((liquid adj crystal adj display) or (LDC adj (panel or display))) near3 (drive or driver)	USOCR	2002/09/24 14:49
-	473	(transistor with (capacitor adj2 ground))	USOCR	2002/09/25 09:48
-	0	((liquid adj crystal adj display) or (LDC adj (panel or display))) and ((transistor with (capacitor adj2 ground)))	USOCR	2002/09/24 14:50
-	473	transistor with (capacitor adj2 ground)	USOCR	2002/09/25 09:49
-	159	transistor same (capacitor with ground with (high adj frequency))	USOCR	2002/09/25 09:51
-	25	transistor with output with (capacitor with ground with (high adj frequency))	USOCR	2002/09/25 09:54
-	39	transistor with output with (capacitor with ground with (high adj frequency))	USPAT	2002/09/25 10:06
-	208686	power adj supply	USPAT	2002/09/25 10:16
-	90	emitter with (high adj frequency) with capacitor with ground	USPAT	2002/09/25 10:09
-	42	(power adj supply) and (emitter with (high adj frequency) with capacitor with ground)	USPAT	2002/09/25 10:09
-	11	(power adj supply) same (emitter with (high adj frequency) with capacitor with ground)	USPAT	2002/09/25 10:09
-	111673	(liquid adj crystal adj display) or (LDC adj (panel or display))	USPAT; US-PGPUB; EPO; JPO	2002/09/25 10:15
-	0	((liquid adj crystal adj display) or (LDC adj (panel or display))) and (emitter with (high adj frequency) with capacitor with ground)	USPAT; US-PGPUB; EPO; JPO	2002/09/25 10:15
-	2391	power adj driver	USPAT	2002/09/25 10:16
-	0	(power adj driver) and (emitter with (high adj frequency) with capacitor with ground)	USPAT	2002/09/25 10:17
-	1	("4621260").PN.	USPAT;	2002/09/25 11:05
-	1	("5379003").PN.	US-PGPUB USPAT;	2002/09/25 11:05
-	1	("4582395").PN.	US-PGPUB USPAT;	2002/09/25 11:06
-	138	(345/101).CCLS.	US-PGPUB USPAT;	2003/01/21 09:01
-	653	(345/100).CCLS.	US-PGPUB USPAT;	2003/01/21 09:01

-	129372	(brightness or voltage) near2 control	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/21 09:10
-	25054	(brightness or voltage) near2 regulator	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/21 09:08
-	18508	temperature near2 compensation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/21 09:09
-	18	((brightness or voltage) near2 control) same ((brightness or voltage) near2 regulator) same (temperature near2 compensation)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/21 09:11
-	15	((((brightness or voltage) near2 control) same ((brightness or voltage) near2 regulator) same (temperature near2 compensation)) and @ad<19990128	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/27 16:40
-	471	(345/101-102).CCLS.	USPAT; US-PGPUB	2003/06/27 16:40
-	231	((345/101-102).CCLS.) and temperature	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/27 16:43
-	170	((((345/101-102).CCLS.) and temperature) and @ad<19990128	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/27 16:42
-	79	((345/101-102).CCLS.) and (temperature near2 control\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/27 16:42
-	61	((((345/101-102).CCLS.) and (temperature near2 control\$4)) and @ad<19990128	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/27 16:43
-	26	((345/101-102).CCLS.) and (temperature same diode)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/27 16:43
-	20	((((345/101-102).CCLS.) and (temperature same diode)) and @ad<19990128	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/28 15:33
-	1	("4319237").PN.	USPAT; US-PGPUB	2003/06/28 18:35
-	4	("4040721" "4045791" "4082430" "4233603").PN.	USPAT	2003/06/28 14:32
-	41	4319237.URPN.	USPAT	2003/06/28 14:33
-	1	("4807972").PN.	USPAT; US-PGPUB	2003/06/28 14:43
-	2	("4121203" "4297697").PN.	USPAT	2003/06/28 14:43
-	2	4807972.URPN.	USPAT	2003/06/28 14:43
-	1	("4037931").PN.	USPAT; US-PGPUB	2003/06/28 14:49
-	3	("3192405" "3219843" "3921162").PN.	USPAT	2003/06/28 14:49
-	5	4037931.URPN.	USPAT	2003/06/28 14:49
-	1	("4687956").PN.	USPAT; US-PGPUB	2003/06/28 14:49
-	3	("3862798" "4161653" "4390874").PN.	USPAT	2003/06/28 14:49
-	15	4687956.URPN.	USPAT	2003/06/28 14:50
-	1	("4390874").PN.	USPAT; US-PGPUB	2003/06/28 15:17

-	7	("3907405" "4128311" "4242679" "4257045" "4278325"	USPAT	2003/06/28 15:17
-	24	"4298866" "4338600").PN.	USPAT	2003/06/28 15:17
-	21782	4390874.URPN.	USPAT;	2003/06/28 15:38
		(drain or source or column or data) same (gate or row or scan) same	US-PGPUB;	
		temperature	EPO; JPO;	
-	1578	(345/211-213).CCLS.	IBM_TDB	2003/06/28 15:39
			USPAT;	
			US-PGPUB;	
-	29	((drain or source or column or data) same (gate or row or scan) same	EPO; JPO;	2003/06/28 15:33
		temperature) and ((345/211-213).CCLS.)	IBM_TDB	
-	17	((((drain or source or column or data) same (gate or row or scan) same	USPAT;	2003/06/28 15:33
		temperature) and ((345/211-213).CCLS.)) and @ad<19990128	US-PGPUB;	
			EPO; JPO;	
-	11693	(drain or source or column or data) same (gate or row or scan) same	IBM_TDB	2003/06/28 15:39
		temperature	USOCR	
-	10	(345/211-213).CCLS.		
-	1	("6107985").PN.	USOCR	2003/06/28 15:39
			USPAT;	2003/06/28 18:35
			US-PGPUB	